



Sage-grouse gather every April at traditional breeding sites called "laks." This lek above Reservoir Creek has been regulary observed since 1961, but has probably been active much longer.

By observing carefully from your yehicle you will see the large black-and-white males displaying their filness to visiting females by defending territories near the center of the lek with calls, posturing and brief fights. Lake are most active at dawn,

After breeding, females lay and incubate 5-8 eggs in a ground nest for 26 days, and guide their young to safe feeding areas throughout the spring and summer.

Individual sage-grouse may use hundreds of square miles of habitat annually. They need healthy sagebrush for food, shelter, and their continued survival.

Please dim your lights and park at the designated location shead. To minimize disturbance remain quiet, do not leave your vehicle, and do not attempt to approach birds closer for photographs.

Sign courtesy of FWP, BLM and the Oillon Local Working Group for Bage-Grouse.

Sage-Grouse Breeding Lek Ahead Sage-grouse gather every April at traditional breading sites called "leks." This lek above Reservoir



Creek has been regulary observed since 1961, but has probably been active much longer.

By observing carefully from your vehicle you will see the large black-and-white males displaying their filness to visiting females by defending territories near the center of the lek with calls, posturing and brief fights. Leks are most active at dawn.

After breeding, females lay and incubale 5-8 eggs in a ground nest for 28 days, and guide their young to safe feeding areas throughout the spring and summer.

Individual sage-grouse may use hundreds of square miles of habitat annually. They need healthy sagebrush for food, shelter, and their continued survival.

Please dim your lights and park at the designated location ahead. To minimize disturbance remain quiet, do not leave your vehicle, and do not altempt to approach birds closer for photographs.

2 samples or possible signs depicting Sage-Grouse breeding leks.

I would recommend a 4'x8' sign on 5/8" mdo signboard, primed, painted with 1-Shot lettering enamels. The colored image would be exterior high performance vinyl. The black-white sage-grouse image would be hand painted with enamels.

All lettering & information would be computer-cut vinyl.

All edges would be 1 1/4" solid wood, offset to enclose a sheet of 1/4" clear plexiglass. Edges between wooden frame & plexiglass would be sealed with clear silicon, which should eliminate moisture.


Price does not cover posts, or other means of display, only the costs of the sign itself & plexiglass. Ready for display.

Colored photo sign: \$800.

Black image: \$725.

D.J's SIGNS, 1455 Hwy, 91 S., Dillon, MT, 59725 (406)683-4745

Sago-Grouse Braeding Lok Anaad



Sage-grouse gather every April at traditional breeding sites called "leks." This lek above Reservoir Creek has been regulary observed since 1961, but has probably been active much longer.

By observing carefully from your vehicle you will see the large black-and-white males displaying their fitness to visiting females by defending territories near the center of the lek with calls, posturing and brief fights. Leks are most active at dawn.

After breeding, females lay and incubate 5-8 eggs in a ground nest for 26 days, and guide their young to safe feeding areas throughout the spring and summer.

Individual sage-grouse may use hundreds of square miles of habitat annually. They need healthy sagebrush for food, shelter, and their continued survival.

Please dim your lights and park at the designated location ahead. To minimize disturbance remain quiet, do not leave your vehicle, and do not attempt to approach birds closer for photographs.

Sign courtesy of FWP, BLM and the Oillon Local Working Group for Sage-Grouse.


Sage-Grouse Breeding Lek Ahead

SAGE GROUSE

(Centrocercus urophasianus)

OTHER NAMES: Sago hen, sage cock, sago chicken. CHARACTERISTICS: The largest of Montania groups. Both seves have relatively for the largest of largest of





Sage-grouse gather every April at traditional breeding sites called "leks." This lek above Reservoir Creek has been regulary observed since 1961, but has probably been active much longer.

By observing carefully from your vehicle you will see the large black-and-white males displaying their fitness to visiting females by defending territories near the center of the lek with calls, posturing and brief fights. Leks are most active at dawn.

After breeding, females lay and incubate 5-8 eggs in a ground nest for 26 days, and guide their young to safe feeding areas throughout the spring and summer.

Individual sage-grouse may use hundreds of square miles of habitat annually. They need healthy sagebrush for food, shelter, and their continued survival.

Please dim your lights and park at the designated location ahead. To minimize disturbance remain quiet, do not leave your vehicle, and do not attempt to approach birds closer for photographs.

Sign courtesy of FWP, BLM and the Dillon Local Working Group for Sage-Grouse.

Various colors are possible